

## CAUSES OF SUICIDE IN TEENAGERS

Malohat Ergasheva,

PhD, Head of the Department Pedagogics and Psychology

At Avloni In-service Institute, Uzbekistan

Doniyor Norkuziyev,

Senior Lecturer of the Department Pedagogics and Psychology

At Avloni In-service Institute, Uzbekistan

### Abstract

This article describes the concepts of function derivatives, Focus on teaching and learning using advanced pedagogical technologies in a practical lesson. The key to pedagogical technology is to achieve clearly defined goals.

**Keywords:** Function, differentiation, pedagogical technologies, advanced technologies.

**Annotation:** This article focuses on the characteristics of suicidal behavior, which is one of the most pressing issues today. The causes, factors, and consequences of an increased propensity for suicidal ideation during teenage period is analysed in the article.

**Keywords:** Suicide, various conflicts, loneliness, incomprehensibility, indifference, dishonesty, heredity suicide.

### Introduction:

According to statistics of the World Health Organization, one million people commit suicide worldwide each year. People who commit suicide often suffer from severe mental pain, severe depression, and are stressed and hopeless. They feel hopeless of their problems solution.

At a glance, it is important to understand the complexity of Teens suicide. The teenage is described as a period of change in psychology. This period is the period of transition from childhood to teenage. A teenager is neither a child nor an adult. It awakens a new feeling, that is, a feeling of puberty, the value of puberty, and no new thoughts about communication with adults. At this time, communication with their peers takes the lead. It is more important to be surrounded by your classmates and friends than adults. Changes and difficulties in teenage period are characterized not only cause of internal conflicts in child, but also cause of conflict situations with the people around him. This type of life is characterized by insufficient comprehension, incomprehensibility, and fear for the teenager. Teens are not able to solve the problems of entering a new life independently, as well as they cannot explain it to others. Investigating the juvenile suicides proves that most suicides are the result

of indifference, rebellion against parents and educators, rudeness, disagreement with classmates, various conflicts, indifference of others, indifference, dishonesty.

Suicide often occurs when others does not come to help on time. A boy or girl tries to draw attention by committing suicide. In comparison with other ages, Teens perceive happening events with more strong emotion, hatred, and sensitivity. The basis of suicide is trying to imitate others, who commit suicide.

The causes of suicide are very complex. The reasons may be biological, genetic, psychological and social aspects of teenager. Nevertheless, Teens commit suicide in extreme situations as a result of public discrimination, learning problems, and betrayal. Many experts think this is an excuse then cause for suicide.

There are various causes of suicide in Teens: conflicts in private life; loneliness; skillful exposure; irresponsible feelings; non-standard adaptation; violation of ethnic traditions; heredity suicide.

According to the inclined to commit suicidal behavior we can see following conflicting groups: Teens who have previously committed suicide (incomplete, parasuicide). Teens who expose suicide threats openly or covertly. Teens who are inclined to self-harm (autoaggression). Teens with heredity suicide descendants. Teens under alcohol influence. The risk of suicide is very high in such type of Teens. The level is 50% among young people. Prolonged alcohol intake serves chronic alcohol consumption of several generations, as well as contributes to the intensification of depression and guilt and mental illness leading to suicide. Teens, dolescent chronic drug and toxic use. Consumption of PAS (psycho-active substances) weakens the teen's self-control and even causes mental illness. Teens suffering from neurological disorders, especially teens under severe depression (psychopathological syndromes). Teens suffering from chronic or congenital diseases (also adults suffering from these diseases). Teens who are grieving over major losses, such as the death of a parent (loved one), especially the first years of loss, and so on. Teens brought up in troubled families: divorce at a certain age, divorce, domestic violence, etc. The most important factor influencing suicidal behavior is religion. Suicide is much less common in people of faith than in non-believers. In summary, we highlight the characteristics of teens:

1. Teens do not have a clear idea of death. An adult understands that death is the end of life, while a teenager does not fully understand it. For them, it is a virtual game to some extent.
2. The 3 most important environments for a teenager are: family, school, peers.
3. The cause of a teen's suicide may be trivial, even accidental, at first.
4. Teenagers-specific subcultures may influence the formation of suicidal behavior in teens.
5. Teens may not have a suicidal idea and attempt phase.
6. A teenager cannot explain what is happening to him, his whole situation, or his problems.
7. It is often scary to live in that reality than to die for a teenager,.
8. Teens` suicide is often characterized by a call for help, self-attention, or trying to solve their problems as adult way.

It is important to know and take into account the age and psychological characteristics of teens. They also need to have self-confidence, identify optimal parenting strategies, encourage students to succeed in family and school tasks, give children the opportunity to choose independent activities (reading, play, work, hobbies and interests), and teach children their own behavior. it is necessary to form an assessment teaching. Current prior aim of the country is to bring up young generation to think independently and broadly through the principles of humanity, national pride, perfect man, honor, modesty, tolerance, social cooperation.

## References

1. Dehkambaeva S. (2015) Diagnosis of undisciplined teens. Tashkent.
2. Durkheim E. (1994) Suicide: A Sociological Study / translated from French; chief editor Bazarova V.A. Moscow.: Misl Publishing house. P. 260.
3. Khalilova N., Saidova M. (2016) Prevention, diagnosis and correction of suicidal behavior in teens. Tashkent